



Outdoor track





Outdoor track accessories



Outdoor Track IP

W: 26mm H: 25mm

- 5406 1m
- 5407 2m
- 5408 3m
- 5409 1m
- 5410 2m
- 5411 3m



L joint ceiling IP

L: 70mm W: 70mm H: 26mm

- 5412
- 5413



L joint wall ceiling IP

L: 70mm W: 70mm H: 30mm

- 5425
- 5426



Linear joint IP

L: 100mm W: 30mm H: 26mm

- 5414
- 5415



End cap IP

L: 62mm W: 30mm H: 26mm

- 5416
- 5417



Waterproof silicone cover IP

L: 20mm W: 14mm H: 4mm

- 5418

TRACK LIGHTS



Power Supplies 48V



Code	Version	Power	IP	VDC OUT	Size
4711	<input checked="" type="checkbox"/> Power Supply Basic	60W	IP67	48 VDC	150x53x36mm
4707	<input type="checkbox"/> Power Supply Top	150W	IP65	48 VDC	219x63x35mm
4708	<input type="checkbox"/> Power Supply Top	240W	IP65	48 VDC	244x71x37mm








Frame 48V IP 1m



Frame 48V IP 2m



Frame 48V IP 3m



TRACK LIGHTS

*Need power supply (page 397).



Technical Information


Power	10W	20W	30W
Installation	Outdoor Track	Outdoor Track	Outdoor Track
Color Temperature	2.700K / 3.000K	2.700K / 3.000K	2.700K / 3.000K
Lumens	680 lm	1.400 lm	2.055 lm
Material	Silicone	Silicone	Silicone
Code	<input type="checkbox"/> 2.700K 5400 <input type="checkbox"/> 3.000K 5401	<input type="checkbox"/> 2.700K 5402 <input type="checkbox"/> 3.000K 5403	<input type="checkbox"/> 2.700K 5404 <input type="checkbox"/> 3.000K 5405



3 YEARS WARRANTY | 30.000 HOURS | IP 65 | 48V DC | CRI ≥90 | 100° | 125mm | IK06 | +45°C / -20°C | 1/15



Atmos slim 48V IP



TRACK LIGHTS

*Need power supply (page 397).




Technical Information

Power	8W
Installation	Outdoor Track
Color Temperature	2.700K / 3.000K
Lumens	510 lm
Material	Aluminium
Finishes	White / Black


Code	○	2.700K	5392
	○	3.000K	5393
	●	2.700K	5394
	●	3.000K	5395



3 YEARS WARRANTY | 30.000 HOURS | IP 65 | 48V DC | UGR <19 | CRI ≥90 | III | 38° | IK06 | +45°C / -20°C | 1/20



Bit 48V IP



TRACK LIGHTS

*Need power supply (page 397).



Technical Information

Power	8W
Installation	Outdoor Track
Color Temperature	2.700K / 3.000K
Lumens	630 lm
Material	Aluminium
Finishes	White / Black

Code	○	2.700K	5396
	○	3.000K	5397
	●	2.700K	5398
	●	3.000K	5399





3 YEARS WARRANTY | 30.000 HOURS | IP 65 | 48V DC | UGR <19 | CRI ≥90 | III | 55° | IK06 | +45°C / -20°C | 1/20



Ice 48V IP



Ice XL 48V IP



TRACK LIGHTS

*Need power supply (page 397).



Technical Information

Power	10W	20W
Installation	Outdoor Track	Outdoor Track
Color Temperature	2.700K / 3.000K	2.700K / 3.000K
Lumens	685 lm	1.110 lm
Material	Aluminium	Aluminium
Finishes	White / Black	White / Black

Code	<input type="checkbox"/> 2.700K	5384	<input type="checkbox"/> 2.700K	5388
	<input type="checkbox"/> 3.000K	5385	<input type="checkbox"/> 3.000K	5389
	<input checked="" type="checkbox"/> 2.700K	5386	<input checked="" type="checkbox"/> 2.700K	5390
	<input checked="" type="checkbox"/> 3.000K	5387	<input checked="" type="checkbox"/> 3.000K	5391

1/40

1/20



3 YEARS WARRANTY | 30.000 HOURS | IP 65 | 48V DC | UGR <19 | CRI ≥90 | 45° | IK06 | +45°C / -20°C